

FAZOR®

MAPP No. 19605

JULY 2022

GET THE BEST OUT OF FAZOR IN POTATOES

FAZOR is a **Plant Growth Regulator** containing maleic hydrazide, for potato sprout suppression.

APPLY:

Application Rate:


5kg/ha

Water Rate:

350-500L/ha

3-5 weeks pre-haulm destruction

Some basal leaf drying may occur



RECOMMENDATIONS:

- Higher water volumes will improve plant uptake.
- Check tuber size prior to application (too early will prevent tuber development and may cause malformation of tuber).
- Length of dormancy in potato will affect the length of efficacy, so **FAZOR** should be used in conjunction with **ARGOS** in store sprout suppressant.
- For maximum efficacy do not tank mix.
- Apply in the evening when temperatures are below 26°C when there is a longer period of humidity after application rather than the early morning.

DO NOT APPLY:

- With adjuvants.
- If the crop is under any stress (this includes disease, pest pressure, nutrient deficiency, and drought stress).
- If daytime temperature exceeds 26°C or if rainfall / irrigation is due within 24 hrs of the application.
- On crops intended for seed production or first earlies.

EAMUs

The following EAMUs are permitted with **FAZOR** (MAPP number 19605):

1. 20202714 – Outdoor crops of carrots and parsnips
2. 20202715 – Outdoor crops of Garlic and Shallot

www.upl-ltd.com/uk

UPL Europe Ltd, Engine Rooms, 1st Floor, Birchwood Park, Warrington, Cheshire WA3 6YN

T: +44 (0) 1925 819999 **E:** info.uk@upl-ltd.com

Use plant protection products safely. Always read the label and product information before use. Information in this guide does not constitute a recommendation, it is for guidance only. Products and brands in capital and bold type are registered trademarks of UPL Europe Ltd. Other brand names used in this guide are trademarks of other manufacturers, in which proprietary rights may exist. For further information please contact your local distributor or visit UPL at www.upl-ltd.com/uk.

